DATE: 15 Jan 02

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-59(V)3

Frequency Multiplier

NSN 5895-01-406-5272

SOW-04-C4I-8G595B-2/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Frequency Multiplier, NSN 5895-01-406-5272, part number 77D614491G1, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HERNDON

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-59(V)3 Frequency Multiplier

NSN 5895-01-406-5272

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to repair the AN/TPS-59(V)3 Frequency Multiplier, NSN 5895-01-406-5272, part number 77D614491G1, CAGE 03538, (hereafter referred to as the Frequency Multiplier). This document contains requirements to restore the Frequency Multiplier to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards.

MIL-STD-2073-ID

DOD Standard Practice for Military Packaging

MIL-STD-129

DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

Engineering Drawing

Frequency Multiplier

77D614491, CAGE 03538

Engineering Drawing

Parts List, Frequency Multiplier

77D614491G1, CAGE 03538

Engineering Drawing 77A106033, CAGE 03538

Test Requirements, Frequency Multiplier Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards.

ANSI/ISO/ASQC Q9003-1994

Quality Systems - Model for Quality Assurance in

Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

- 3.1 The contractor shall repair the Frequency Multiplier strictly in accordance with the requirements as specified in Engineering Drawing 77D614491 and Parts List 77D614491G1, CAGE 03538. Testing shall be conducted in accordance with Test Requirements 77A106033, CAGE 03538, and the test results shall be documented in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The contractor shall be responsible for preservation and packaging of item(s) to be repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement shall be identified; in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the designated site(s). The Marine Corps will be responsible for all transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 Quality Assurance Provisions. The contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, referencing this SOW, the NSN, part number, and serial number of the Frequency Multiplier. The TDR shall reference the specific paragraph of the Test Requirements 77A106033, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is <a href="https://enamedia.org/hermance-new-mailto-new-mailt

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense. Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwittstanding any other provision of law, no person shall be subject to any pensity for falling to complex eith a collection of information if it does not display a currently veild DMS control number. Please DO NOT RETURN your form to the above address. Send completed form

				_					l
A. CONTRACT LINE ITE	M NO.	B. EXHIBIT		C. CATEGORY: TOP TM OTHER					
D. SYSTEM/ITEM		E LI	NTRACT/PR NO.	F. CONTE		<u> </u>		\dashv	
Freque	ncy Multiplier			,. 00411					
I. DATA ITEM NO. 2	. TITLE OF DATA ITEM			3. SUBTITLE					17. PF
A 001	D!_	aanima Charee	Droposal (ECD)	1	Configuration 1	Managama	ant	1	
A001 4. AUTHORITY (Data Acquisition	_		Proposal (ECP)		Configuration 1	vianageme	:III		18, ES
	MAN-80639C	a. CUI	SOW 3.3			LBA (583))		TO
	DIST STATEMENT	10. FREQUENCY		12, DATE OF FIRST SUBMISSION		ON	. (-00)		
LT	REQUIRED	ASRE	EQ See	Blk 16			b. COPIES		
B. APP CODE		11. AS OF DATE	13. DATE OF SUBSEC	UENT	a. ADDRESSEE	Draft	Fi	nai	
A	<u>A</u>	<u> </u>					Reg	Repro	4 '
e, remarks Blk 4 - Contracto	or format submi	tted in .pdf or	.doc format is author	ized.	MCLBA (583-1	.) 0	1	0	
Blks 10 & 12 - F	ECPs shall be su	bmitted for al	proposed changes wh	ich				- 	
			l proposed changes which item.			+	 	 	
ECPs will be rev	viewed and disp	osition determ	ined within 30 calenda	r days upon					
Siock 14: ECPs mbmatcomconfis	snall be transmi gmngmnt@matc	tted via E-Ma om.usmc.mil	il to the following add	ręss:			 		
			c Release; Distribution					-	ľ
Inlimited.						_			
							 		
					-		}	}]	
							<u> </u>	<u> </u>	
							 	╂─┦╏	
							Ĺ	<u> </u>	
					}	- }	_	-	
							<u> </u>		
					<u></u>		}	├	
							 	;	
							<u> </u>	 	
									
					15. TOTAL	→ 0	1	0	
G. PREMARED BY	5D /	4	DATE I. APPRO	VED BY		J. DAT	E ,	<u> </u>	
Allana 4	Kradl	Z. 1	4 Jan 02	<u>/</u> 5	KID	/ K		الجرد	
11/11/11/ A -	<i>/) / </i> Aug 96 (eg)	4	PREVIOUS EDITION N	<u> 1 - C -</u>	17th	1/	12	24	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to eny penalty for failing to comply with a collection of information if it does not display a carrently vaid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form

D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR Frequency Multiplier	A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT	<u> </u>	C. CATEGORY:				<u> </u>		
Frequency Multiplier A002 Request For Deviation Configuration Management Lestinger fine Appeals Deviate Solution Latinger fine Appeals Deviate Solution ASREQ 11.AS FORT ASREQ 11.AS FORT ASREQ 11.AS FORT AND INTERVIEW SOLUTION SO	D CYCTCANTCA		TDPTM								
A002 Request For Deviation Learner and Configuration Management		uency Multiplier		c. CONTRACT/PK	MJ.	r. CUNTRA	10 I UN				1.
SOW 3.3 LT SOW 3.5 SAME LT A LASSEQ LASS						3. SUBTITLE					17. PRICE GRO
DI-CMAN-80640C SOW 3.3 MCLBA (583) ILASSPER See Bix 16 AASTREQ ILASTO SEE Bix 16 AASTREQ Bix 4 - Contractor format submitted in .pdf or .doc format is authorized. Bix 5 (0.6 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigungming/matcom.usmc. mill Distribution Statement A: Approved for Public Release; Distribution is Carried and the contractor of	A002	Request For Deviation				Configuration Management					
T. D. STEPRARED BY P. D. STEPRARED BY I. P. RECOMBER I. C. PRESPARED BY I. P. RECOMBER A SURVEY I. D. RECOMBER A SURVEY I. D. RECOMBER SOLUTION I. D. RECOMBER I. D. RECOMBER SOLUTION II. D. RECOMBER III.				5. CONTRACT REFEREN		•	_ ·				18. ESTIMATE TOTAL PRI
A SREQ See Blk 16 11.A1 FEMALE See Blk 16 11.A2 FEMALE SEMENTATION OF THE SEMENTATION O							MCLBA (583)				
RATE GIBE A A ILLAS START ILLA			I								
A A Substitution of the contractor format submitted in .pdf or .doc format is authorized. Biks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigumgnum@matcom user. mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.		-				10	_	<u> </u>			
Biks 4 - Contractor format submitted in .pdf or .doc format is authorized. Biks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14 : RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmingmint@matcom usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited. G. PARPARED BY H. DATE H. DATE L. APPROVED BY J. DATE J. DATE		A	13. AS UF DA	ATE			a. ADDRESSEE	Draft			
Biks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration decumentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14 - RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmingmint@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.		Λ	L.,,,_				MCI DA (502.1)		<u> </u>		
G. PASPARED BY H. DATE I. APPROVED BY J. DATE	Blk 4 - Contrac	ctor format submi	tted in .p	odf or .doc for	mat is authorized.		MCLBA (583-1)	U		0	
G. PASPARED BY H. DATE I. APPROVED BY J. DATE	Blks 10 & 12 -	RFDs shall be su	bmitted t	to obtain autho	orization to delive	r		1	-		
Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmn(@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.	nonconforming documentation	material which d	loes not r	meet prescribe	d configuration						
Block 14: RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmn(@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.	RFDs will be r	reviewed and disp	osition de	etermined with	nin 30 calendar da	vs upon			_		
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.	receipt by the	Government.	- DIMON W			, - Pon		 			1 '
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.	Block 14: RFD	e shall be transm	itted via	E-Mail to the	following address	:		+			[
G. PREPARED BY H. DATE L. APPROVED BY J. DATE								<u> </u>			!
G. PREPARED BY H. DATE L. APPROVED BY J. DATE	Distribution Sta	atement A: Appro	oved for l	Public Release	; Distribution is			İ			<u> </u>
G. PREPARED BY J. DATE J. APPROVED BY	Omminica.						-				! !
G. PREPARED BY J. DATE J. APPROVED BY											i ',
G. PREPARED BY J. DATE J. APPROVED BY	·										11
G. PREPARED BY J. DATE J. APPROVED BY											l i
G. PREPARED BY J. DATE J. APPROVED BY											
G. PREPARED BY J. DATE J. APPROVED BY											11
G. PREPARED BY J. DATE I. APPROVED BY J. DATE											!
G. PREPARED BY J. DATE I. APPROVED BY J. DATE								-			!
G. PREPARED BY J. DATE I. APPROVED BY J. DATE							<u></u>				<u> </u>
G. PREPARED BY J. DATE I. APPROVED BY J. DATE							<u>-</u>	-			
G. PREPARED BY J. DATE I. APPROVED BY J. DATE								 			Ľ
G. PREPARED BY J. DATE I. APPROVED BY J. DATE	1							1	<u> </u>		11
G. PREPARED BY J. DATE I. APPROVED BY J. DATE								1	-		l i
G. PREPARED BY J. DATE J. DATE								1			1
G. PREPARED BY J. DATE J. DATE								1			1
G. PREPARED BY J. DATE J. APPROVED BY								j]
G. PREPARED BY J. DATE J. APPROVED BY]
G. PREPARED BY J. DATE J. APPROVED BY											1:
G. PREPARED BY J. DATE J. APPROVED BY								ļ			
G. PREPARED BY J. DATE J. APPROVED BY								1			()
G. PREPARED BY J. DATE J. APPROVED BY	Ì						<u> </u>	<u> </u>]
G. PREPARED BY J. DATE J. APPROVED BY										ļ <u>.</u>	1
G. PREPARED BY J. DATE J. APPROVED BY	i							ļ <u> </u>	<u> </u>	<u> </u>	[]
G. PREPARED BY J. DATE J. APPROVED BY							<u> </u>	-	 -	 	1
G. PREPARED BY J. DATE J. APPROVED BY									_		[
G. PREPARED BY J. DATE J. APPROVED BY									 	-	11
G. PREPARED BY J. DATE J. APPROVED BY							15. TOTAL	. 0	1	0	1 !
1 1/100 9 KNIMI. 14 Oan 02 5 Hol 15/1. DX	G. PREPARED BY	<u> </u>	11	H. DATE	I. APPROVED	BY			Ē,		1
1 41 111/11 7 10/11/11 1/11 1/14 1/14 1/14 1/14 7 1/14 1/14	diana	OTIMA	///.	l			11. 1	10	- /	י ג	I,
I MI UIUV A. VIIUUVIA I'' // I I I I I I I I I I I I I I I I	<i> </i>	י אוועול איז	Ulle	14 7/01	r va	7.	19lola		you.	ے الا	H
DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED. Pages of Pages	DD FORM 1423-	-1. AUG 96 (EG)	1	P	REVIOUS EDITION MAY B	E USED.	l'	Page	of	Pages	<u>.</u> .